

L Number	Hits	Search Text	DB	Time stamp
1	2	6014745.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 07:59
2	8749	kotani.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 07:59
3	2	kotani.in. and "20010008016"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 08:00
-	476	3-key encryption and 713/193.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 16:23
-	2116	encrypted adj1 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:39
-	92	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:44
-	0	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.)) and (encrypt\$4 adj1 condition adj1 (info information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:45
-	32	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.)) and (encrypt\$4 adj1 (info information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:48
-	1	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.)) and (encrypt\$4 adj1 (info information))) and ((multiple multi) adj1 key near3 encrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:50
-	5	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.)) and "key 1" and "key 2"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:55
-	3	((encrypted adj1 key) and (3-key encryption and 713/193.ccls.)) and "key 1" and "key 2" and "recording medium"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:02
-	39	713/193.ccls. and (read\$4 near3 key near3 ("storage unit" memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 12:55
-	4	(713/193.ccls. and (read\$4 near3 key near3 ("storage unit" memory))) and (read\$4 near3 (key data "encryption info") near3 "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:23

-	2	6237095.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:23
-	188	713/193.ccls. and @pd<=19990427	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:46
-	0	((713/193.ccls. and @pd<=19990427) and (read\$4 near3 key near3 (memory "storage unit"))) and (read\$4 near3 (key and (encrypt\$4 near3 info) and data) near3 "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:51
-	0	((713/193.ccls. and @pd<=19990427) and (read\$4 near3 key near3 (memory "storage unit"))) and (read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:58
-	6342	(read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:52
-	34	((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and (read\$4 near3 key near3 (memory "storage unit"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:52
-	11	((((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and (read\$4 near3 key near3 (memory "storage unit")))) and @pd<=19992704	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 11:53
-	8	(713/193.ccls. and @pd<=19990427) and (read\$4 near3 key near3 (memory "storage unit"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 12:03
-	0	705/571.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 12:03
-	0	713/193.ccls. and (read\$4 near3 (encrypt\$4 adj1 key) near3 ("storage unit" memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:56
-	0	(read\$4 near3 (encrypt\$4 adj1 key) near3 ("storage unit" memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:56
-	0	(stor\$4 near3 (encrypt\$4 adj1 key) near5 ("storage unit" memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:57
-	2	(stor\$4 same (encrypt\$4 adj1 key) same ("storage unit" memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:58

-	1	(read\$4 same (encrypt\$4 adj1 key) same ("storage unit" memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:58
-	6342	(read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 13:59
-	11592	(encrypt\$4 near3 key) same (us\$3 near3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 14:00
-	106	((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and ((encrypt\$4 near3 key) same (us\$3 near3 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 14:10
-	526	(re-encrypt\$4 reencrypt\$3) near3 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 14:44
-	9	((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and ((encrypt\$4 near3 key) same (us\$3 near3 key)) and ((re-encrypt\$4 reencrypt\$3) near3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 14:11
-	1	"6360320".PN.	USPAT	2004/01/02 14:24
-	1	"6343281".PN.	USPAT	2004/01/02 14:25
-	1	"6070799".PN.	USPAT	2004/01/02 14:27
-	1	"5923754".PN.	USPAT	2004/01/02 14:28
-	1	"5784460".PN.	USPAT	2004/01/02 14:30
-	1	"5754649".PN.	USPAT	2004/01/02 14:41
-	1	"5892900".PN.	USPAT	2004/01/02 14:41
-	105	((re-encrypt\$4 reencrypt\$3) near3 key) and "information processing"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 14:45
-	0	((re-encrypt\$4 reencrypt\$3) near3 key) and "information processing" and ("recording medium" and "storage unit" and "type 1 key" and "type 2 key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 14:51
-	0	((re-encrypt\$4 reencrypt\$3) near3 key) and "information processing" and ("recording medium" and "storage unit" and "encryption key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 06:56
-	1	"5892900".PN.	USPAT	2004/01/02 15:09
-	4498	713.clas. and (encrypt\$4 near3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 06:56
-	491	(713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 06:59
-	2	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (encrypt\$4 near3 info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:06

-	1	"6275936".PN.	USPAT	2004/01/05 07:02
-	50	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (control\$4 near3 access near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:41
-	1	"5586186".PN.	USPAT	2004/01/05 07:10
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (data adj1 usage adj1 control).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:42
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (data adj1 usage adj1 control).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:42
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (data adj1 control).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:42
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (data adj1 control).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:55
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (protect\$4 near3 data near3 (several same keys)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:56
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (protect\$4 near3 data near3 (several same keys))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:56
-	2	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (encrypt\$4 near3 data near3 (several same keys))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:58
-	53	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:59
-	491	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (encrypt\$4 near3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 07:59
-	53	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)) and (encrypt\$4 near3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 08:00
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)) and (encrypted near3 key)) and (encrypt\$4 near3 info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 08:00
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)) and (encrypted near3 key)) and (encryption near3 info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 08:00

-	48	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)) and (encrypted near3 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 08:31
-	0	((713.clas. and (encrypt\$4 near3 key)) and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)) and (encrypted near3 condition adj1 info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 08:32
-	643	713/193.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:16
-	106	713/193.ccls. and "recording medium"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:17
-	0	(713/193.ccls. and "recording medium") and ((data content) and (encrypted adj1 key) and (encrypted adj1 condition adj1 information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:19
-	0	(713/193.ccls. and "recording medium") and ((data content) and (encrypting adj1 key) and (encrypted adj1 condition adj1 information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:19
-	2	(713/193.ccls. and "recording medium") and ((data content) and (encrypting adj1 key) and (encrypted adj1 information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:28
-	0	(713/193.ccls. and "recording medium") and ((data content) and (encrypting adj1 key) and (encrypted adj1 condition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:29
-	1	(713/193.ccls. and "recording medium") and ((data content) and (encryption adj1 key) and (encrypted adj1 condition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:31
-	1	(713/193.ccls. and "recording medium") and ((encrypted adj1 condition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:31
-	0	(713/193.ccls. and "recording medium") and ((encrypt\$3 adj1 condition adj1 info))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 11:34
-	0	(713/193.ccls. and "recording medium") and ((encrypt\$3 adj1 condition adj1 info) same record\$3 same "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 11:37
-	91	(713/193.ccls. and "recording medium") and (((encrypt\$3 adj1 info) (data content) "encryption key") same "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 11:39

-	92	(713/193.ccls. and "recording medium") and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:31
-	10	380/201.ccls. and (713/193.ccls. and "recording medium") and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:57
-	1	"6289102".PN.	USPAT	2004/01/05 12:35
-	1	"6157606".PN.	USPAT	2004/01/05 12:36
-	175	380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:27
-	8	(380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and "software application"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:59
-	1	"5963909".PN.	USPAT	2004/01/05 13:03
-	71	(380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and (protect\$4 same (data content) same encrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:30
-	63	((380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and (protect\$4 same (data content) same encrypt\$4)) and (encrypt\$4 same key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:31
-	44	((380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and (protect\$4 same (data content) same encrypt\$4)) and (encrypt\$4 adj1 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:32
-	19	((380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and (protect\$4 same (data content) same encrypt\$4)) and (encrypted adj1 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:52
-	0	((380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and (protect\$4 same (data content) same encrypt\$4)) and (encrypted adj1 key) and ((multi multiple) adj1 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:52
-	0	((380/201,281-284,45.ccls. and (((encrypt\$3 adj1 info) (data content) "encrypted key") same "recording medium")) and (protect\$4 same (data content) same encrypt\$4)) and (encrypted adj1 key) and (encrypt\$4 adj1 info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 10:00
-	7	(380/201,281-284,45.ccls. and (execut\$4 near3 (encrypted adj1 program)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 10:05
-	0	(380/201,281-284,45.ccls. and (execut\$4 near3 (encrypted adj1 program)) and (updat\$4 near3 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 10:06
-	0	(380/201,281-284,45.ccls. and (execut\$4 near3 (encrypted adj1 program)) and (renew\$4 near3 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 10:07

-	1	((380/201,281-284,45.ccls. and (execut\$4 near3 (encrypted adj1 program))) and (change\$4 near3 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 11:04
-	1	"6289102".PN.	USPAT	2004/01/06 10:27
-	1	"6157606".PN.	USPAT	2004/01/06 10:30
-	1	"5995623".PN.	USPAT	2004/01/06 10:32
-	3	((380/201,281-284,45.ccls. and (execut\$4 near3 (encrypted adj1 program)))) and (encrypted adj1 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 10:35
-	1	"6014745".PN.	USPAT	2004/01/06 10:39
-	381	(change\$4 near3 (encryption adj1 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 11:14
-	49	((change\$4 near3 (encryption adj1 key))) and (updat\$4 near3 (encryption adj1 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 11:18
-	8	((change\$4 near3 (encryption adj1 key))) and (updat\$4 near3 (encryption adj1 key))and (ensur\$3 near3 security)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 11:46
-	2	6026165.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:19
-	220	713.clas. and ((renew\$4 Updat\$4 chang\$4 regenerat\$4 re-generat\$4) near3 (encryption adj1 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:20
-	756	((renew\$4 Updat\$4 chang\$4 regenerat\$4 re-generat\$4) near3 (encryption adj1 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:21
-	83	(re-encrypt\$4 near3 (encryption adj1 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:21
-	11	((re-encrypt\$4 near3 (encryption adj1 key))) and (((renew\$4 Updat\$4 chang\$4 regenerat\$4 re-generat\$4) near3 (encryption adj1 key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:21
-	1	"5757907".PN.	USPAT	2004/01/07 13:25
-	1	"6167517".PN.	USPAT	2004/01/07 13:27
-	1	"6151676".PN.	USPAT	2004/01/07 13:27
-	2	6014745.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:57
-	2	6026165.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 09:59

-	0	us2003/090043	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:03
-	2	6587948.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:02
-	4	6615192.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:03
-	0	09873351.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:08
-	0	9873351.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:09
-	0	"protection of software against use without permit".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:11
-	0	(protection adj1 of adj1 software adj1 against adj1 use adj1 without adj1 permit).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:13
-	1	sigbjornsen-sigurd.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 10:14
-	549	3-key encryption and 713/193.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:04
-	37	(3-key encryption and 713/193.ccls.) and ((third near key) or (3rd near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:06
-	5	((3-key encryption and 713/193.ccls.) and ((third near key) or (3rd near key))) and @pd<=19990427	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:16
-	32	((3-key encryption and 713/193.ccls.) and ((third near key) or (3rd near key))) not (((3-key encryption and 713/193.ccls.) and ((third near key) or (3rd near key))) and @pd<=19990427)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:16
-	43	3-key encryption and 713/193.ccls. and ((first and second and third) near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/22 16:58

-	59	3-key encryption and 713/193.ccls. and (media near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 10:27
-	19	(third same key) and encryption and 713/193.ccls. and (media near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 10:27
-	24	(third same key) and encryption and 713/193.ccls. and ((hardware media) near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 10:35
-	0	((third same key) and encryption and 713/193.ccls. and ((hardware media) near key)) and (unique near Key) and (storing near unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 12:25
-	2	6735693.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 12:25
-	34	3-key encryption and 713/193.ccls. and (media near key) and (random near number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 16:26
-	10	(3-key encryption and 713/193.ccls. and (media near key) and (random near number)) and (encrypted near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 17:44
-	1593	(encrypted near key) and (random near number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 17:45
-	1593	((encrypted near key) and (random near number)) and (encrypt\$3 near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 17:49
-	379	(((encrypted near key) and (random near number)) and (encrypt\$3 near key)) and (first near key) and (second near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 17:49
-	81	(((encrypted near key) and (random near number)) and (encrypt\$3 near key)) and (first near key) and (second near key)) and ((encrypt\$3 near (first near key)) same (second near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 18:06
-	70	(((encrypted near key) and (random near number)) and (encrypt\$3 near key)) and (first near key) and (second near key)) and ((encrypt\$3 near (first near key)) same (second near key)) and ((random near number) same encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 18:08
-	50	(((encrypted near key) and (random near number)) and (encrypt\$3 near key)) and (first near key) and (second near key)) and ((encrypt\$3 near (first near key)) same (second near key)) and ((random near number) same (encrypt\$3 near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 18:23

-	13	variable near (master near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 18:27
-	38	updat\$3 near (master near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 07:59